

borg&
overström



Distinctive
by design.

b4

Compact design for flexibility

Hygienic and ergonomic, B4 flourishes in all environments – from boardroom to sports hall. Its compact size, large dispense area for bottles, multiple water options and flexible configuration make it Borg & Overström's most popular model.

Reasons to choose

- Ultra-hygienic touch-sensitive control panel
- High capacity dispense area for bottles and jugs
- Sealed, hygienic, direct-chill cooling system
- Floorstanding option comes complete with an internal alarmed waste kit
- Unique countertop sparkling model



Distinctive
by design.

borg& overström

Water system



Direct Chill

Configurations



Countertop



Floorstanding

Water options



Chilled



Ambient



Hot



Sparkling

Available colours



Silver



Black

borgandoverstrom.com



Distinctive
by design.

b4

Borg & Overström Totality®



Driven by a relentless pursuit of excellence, Borg & Overström Totality® is a research and development methodology for the advancement of hygiene, innovation and technology in refreshment systems.



Biofilm, limescale and impact resistant epoxy resin panel finish

Providing an increased level of hygiene and longevity, Fynil® is a scratch and impact resistant epoxy-resin surface finish - effectively resisting biofilm development and limescale cohesion.



World-class filtration

For the ultimate drinking experience, Borg & Overström appliances can be pre-fitted with a 3M filter to reduce sediment, chlorine, odours and scale.



Laboratory certified 99.999% bacteria-reduced

Every Borg & Overström appliance undergoes an anti-microbial, antipathogen, sanitising procedure. The reassurance of hygienically safe appliances is provided by the unique bacteria-reducing process, Sterizen®.



Ultra-violet sterilising system

For added hygiene confidence, appliances can be fitted with Viovandt™ – an ultra-violet sterilisation process that reduces water-born bacteria.

Distinctive
by design.

B4 models

Power requirements
Hertz 50/Volts 220-240


Chilled temperature
Min 2°C/Max 11°C

Hot temperature
Max 92°C

Throughput litres per hour
Chilled & Sparkling 35/Hot 6

Countertop W320xD470xH415mm	Water system	Dispense height	Max power consumption	Silver	Black
Chilled & Ambient	Direct Chill	270mm	100W	103510	103512
Chilled, Hot & Ambient	Direct Chill	270mm	600W	103520	103522
Chilled, Ambient & Sparkling	Direct Chill	270mm	150W	103530	103532
Chilled, Hot & Sparkling	Direct Chill	270mm	650W	103540	103542
Floorstanding W320xD470xH1325mm				Silver	Black
Internal dimension - W280xD330xH830mm			Base cabinet	103910	103592

Distinctive
by design.



Additions for B4



Biodegradable paper cups
Environmentally-friendly disposable cups designed to fit Borg & Overström cup dispensers perfectly.



Personal drinking bottles
500ml capacity in black or grey frosted soft-touch finish. Comes with quick-release leak-proof cap and carry strap.



500ml Swing-top bottles
Suitable for dishwashers and bottlewashers. Perfect fit for the B4. Stylish swing-top lid.



Waste kit overflow sensor
Featuring an audible high-water level alarm to prevent the base cabinet waste tank from overflowing. Included as standard on floorstanding models.



Sanitisation kit
Six monthly sanitising cycles ensure appliances function at the optimum hygiene levels.



Leak detection kit
Featuring a moisture sensor that shuts the water supply in the unlikely event of a leak. Included as standard.



Deep Sparkle® CO₂ refills
Can be disposed via standard steel recycling or general waste. Requires CO₂ regulator with gauge.



Install kit with 3M filter
Install appliances simply and effectively in a wide range of applications. Complete with a 3M filter.



Ultra-violet filter kit
Complete Viovandit™ filter kit to assist in water purification and removal of unwanted micro-organisms.



Rear cover
Tamper-proof rear cover anchors the appliance to the wall and protects plumbing and electrical connections. Ideal for public areas.

Distinctive
by design.